

List of Applicants Found Eligible for Draw for Selection of LPG Distributor

Name of Area/ Territory/ Regional Office: Vishakhapatnam Area Office (IOC)

Name of Location: POLAVARAM

Oil Company: IOC

Name of District: WEST GODAVARI

Category: ST

Type of Distributorship: GRAMIN

MKT Plan: 2017-18

S.NO.	NAME OF PERSON	FATHER / HUSBAND'S NAME	APPLICATION REFERENCE NO.
1	TULASI RAVI KUMAR KUNJAM	SEETHA RAMA RAJU	IOC04412107715092018
2	KANGALA DURGA PRASAD	KANGALA VEERASWAMY	IOC04412109326092018
3	SYAMALA BALARAJU	SYAMALA KONDALA RAO	IOC04412113903102018
4	RATNA NAIK BANAVATH	RAJU NAIK BANAVATH	IOC04412113803102018
5	VIJAYALAKSHMI KONDLA	KONDLA PENTA REDDY	IOC04412118506102018
6	KAMPA SUDHAKAR	ANANDARAO KAMPA	IOC04412118806102018
7	KUMBHA SUNEETHA	KONDAIAH KUMBHA	IOC04412118906102018
8	PARAMESWARA RAO KATTA	KATTA SIVIAH	IOC04412120708102018
9	RAMESH REDDY KONDLA	KONDLA SOMI REDDY	IOC04412121008102018
10	BARAGADA MANGA RAJU	BARAGADA CHELLA RAO	IOC04412122009102018
11	POSI RAO TURRAM	DHARMA RAJU THURRAM	IOC04412123409102018
12	JODE NAGESWARA RAO	JODE RAMAIAH	IOC04412123609102018
13	RAM PRASAD KOVVASU	ABBULU KOVVASU	IOC04412123809102018
14	SUTRU NAGESWARA RAO	SUTRU GANGIREDDY	IOC04412123909102018
15	GUNJAVARAPU PARIMI REDDY	GUNJAVARAPU BALA KRISHNA REDDY	IOC04412124409102018
16	MALLI DEVIKARUNA	MALLI YEDUKONDALU	IOC04412125009102018
17	KUNJA RAMAMMA	GOLLAPALLI MANOHARA VASANT KUMAR	IOC04412124909102018
18	GUNJAVARAPU VENKATA RAMANA REDDY	GUNJAVARAPU CHINNA RAJA REDDY	IOC04412125109102018
19	MALLI NAGARJUNA	MALLI BHUJANGARAO	IOC04412125909102018
20	GUNJAVARAPU VARA PRASAD REDDY	GUNJAVARAPU KRISHNA REDDY	IOC04412126509102018
21	MOTTUM SATYA SAI VARMA	VENKATESWARA RAO MOTTUM	IOC04412126609102018
22	ARAGANTI NAGA JYOTHI	ARAGANTI VIJAY KUMAR	IOC04412126709102018
23	ARAGANTI VIJAY KUMAR	ARAGANTI ANJANEYULU	IOC04412127409102018
24	TAMA SURYACHANDRA RAO	BOJJI TAMA	IOC04412127509102018

As this is a computer generated document, it does not require any signature.

Note:- If one candidate has submitted multiple applications for same location; only one application will be considered at the time of Draw.